



Dimensions in mm (not to scale)







Туре	Dimensions (mm)					Mass (Weight)			
(inches)	L	W	Т	A1	A2	В	Р	G	[g/1000 pcs.]
EXB14V (0201×2)	$0.80^{\pm 0.10}$	0.60 ^{±0.10}	0.35 ^{±0.10}	0.35 ^{±0.10}	_	0.15 ^{±0.10}	(0.50)	0.15 ^{±0.10}	0.5
EXB24V (0402×2)	1.00 ^{±0.10}	1.00 ^{±0.10}	0.35 ^{±0.10}	0.40 ^{±0.10}	—	0.18 ^{±0.10}	(0.65)	0.25 ^{±0.10}	1.2
EXB28V (0402×4)	2.00 ^{±0.10}	1.00 ^{±0.10}	0.35 ^{±0.10}	0.45 ^{±0.10}	0.35 ^{±0.10}	0.20 ^{±0.10}	(0.50)	0.25 ^{±0.10}	2.0
EXB2HV (0402×8)	3.80 ^{±0.10}	1.60 ^{±0.10}	0.45 ^{±0.10}	0.35 ^{±0.10}	0.35 ^{±0.10}	0.30 ^{±0.10}	(0.50)	0.30 ^{±0.10}	9.0
EXB34V (0603×2)	1.60 ^{±0.20}	1.60 ^{±0.15}	0.50 ^{±0.10}	0.65 ^{±0.15}	—	0.30 ^{±0.20}	(0.80)	0.30 ^{±0.20}	3.5
EXB38V (0603×4)	$3.20^{\pm 0.20}$	1.60 ^{±0.15}	0.50 ^{±0.10}	0.65 ^{±0.15}	0.45 ^{±0.15}	0.30 ^{±0.20}	(0.80)	0.35 ^{±0.20}	7.0

<u>ʊ</u>‡ ≥

G


(2) Concave Terminal type





Туре	Dimensions (mm)					Mass (Weight)			
(inches)	L	W	Т	A1	A2	В	Р	G	[g/1000 pcs.]
EXBN8V (0402×4)	2.00 ^{±0.10}	1.00 ^{±0.10}	0.45 ^{±0.10}	0.30 ^{±0.10}	0.30 ^{±0.10}	0.20 ^{±0.15}	(0.50)	0.30 ^{±0.15}	3.0
EXBV4V (0603×2)	$1.60^{+0.20}_{-0.10}$	1.60+0.20	0.60 ^{±0.10}	0.60 ^{±0.10}	_	0.30 ^{±0.15}	(0.80)	0.45 ^{±0.15}	5.0
EXBV8V (0603×4)	$3.20^{+0.20}_{-0.10}$	1.60+0.20	0.60 ^{±0.10}	0.60 ^{±0.10}	0.60 ^{±0.10}	0.30 ^{±0.15}	(0.80)	0.45 ^{±0.15}	10
EXBS8V (0805×4)	5.08+0.20	2.20+0.20	0.70 ^{±0.20}	0.80 ^{±0.15}	0.80 ^{±0.15}	0.50 ^{±0.15}	(1.27)	0.55 ^{±0.15}	30

(3) Flat Terminal type



Туре	Dimensions (mm)					Mass (Weight)			
(inches)	L	W	Т	A1	A2	В	Р	G	[g/1000 pcs.]
EXB18V (0201×4)	1.40 ^{±0.10}	0.60 ^{±0.10}	0.35 ^{±0.10}	0.20 ^{±0.10}	0.20 ^{±0.10}	0.10 ^{±0.10}	(0.40)	0.20 ^{±0.10}	1.0
								() Reference

Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.

May. 2005

() Reference

() Reference

Panasonic

Ratings


Item		Specifications			Item	
Resistance Range		10 Ω to 1 M Ω :E24 series		_ , , , , (1)	14V,18V	12.5 V
				ng Element Voltage ⁽¹⁾	2HV	25 V
Resistance Toleran	ce	J: ±5 %		. Rated Continuous) king Voltage	24V,28V,N8V,38V,34V,V4V,V8V	50 V
	14V,24V,V4V,34V	4 terminal		ing voltage /	S8V	100 V
Number of Terminals	18// 28// 18// 28////8// 28//	8 terminal			14V,18V	25 V
	100,200,1000,000,000,000		Mov		2HV	50 V
	2HV	16 terminal	Max. Over-load Voltage (2)		24V,28V,N8V,38V,34V,V4V,V8V	100 V
	14V,24V,V4V,34V	2 terminal			S8V	200 V
Number of Resistors	18V,28V,N8V,38V,V8V,S8V	4 terminal	T.C.	T.C.R.		±200×10 ⁻⁶ /°C(ppm/°C)
	2HV	8 terminal	Cate	egory Temperati		
	14V,28V,N8V	0.031 W/element	(Op	erating Tempera	ature Range)	–55 °C to 125 °C
	18V	0.031 W/element			14V,18V	0.5 A
		(0.1 W/package)	Array	Rated Current	2HV,24V,28V,N8V,38V,34V,V4V,V8V	1 A
Power Rating at 70 °C	24V,V4V,34V,V8V,38V	0.063 W/element			S8V	2 A
	S8V	0.1 W/element	Jumper		14V,18V	1 A
		0.063 W/element	Jur	Max, Overload Current	2HV,24V,28V,N8V,38V,34V,V4V,V8V	2 A
	2HV	(0.25 W/package)			S8V	4 A

(1) Rated Continuous Working Voltage (RCWV) shall be determined from RCWV= $\sqrt{Power Rating \times Resistance Value}$, or Limiting Element Voltage (max. RCWV) listed above, whichever less.

(2) Overload (Short-time Overload) Test Voltage (SOTV) shall be determined from SOTV=2.5 × Power Rating or max. Overload (Voltage) listed above whichever less.

Power Derating Curve

For resistors operated in ambient temperature above 70 °C, power rating shall be derated in accordance with the figure on the right.



Packaging Methods (Taping)

• Standard Quantity

Туре	Kind of Taping	Pitch (P1)	Quantity	
EXB14V, 18V				
EXB24V, 28V	Punched Carrier Taping	2 mm	10000 pcs./reel	
EXBN8V				
EXB2HV				
EXB34V, 38V		4 100.000	5000 pcs./reel	
EXBV4V, V8V		4 mm		
EXBS8V	Embossed Carrier Taping		2500 pcs./reel	


Panasonic

1.60 max.

1.50^{+0.10}

• Carrier Tape






Taping Reel

EXBV8V

EXBS8V



 $3.60^{\pm 0.20}$

5.70^{±0.20}

12.00^{±0.30}


5.50^{±0.20}

2.80^{±0.20}


				ι	Jnit (mm)
Туре	φA	φB	φC	W	Т
EXB14V,18V					
EXB24V,28V					
EXBN8V				9.0 ^{±1.0}	11.4 ^{±1.0}
EXB2HV	180.0+0	60 min.	13.0 ^{±1.0}	9.0	11.4
EXB34V,38V					
EXBV4V,V8V					
EXBS8V				13.0 ^{±1.0}	15.4 ^{±2.0}

Land pattern design

Recommended land pattern design for Network chip is shown below.




				(Not to scale)
Tuno		_	Dimensions		Unit (mm)
Туре	а	b	С	р	f
14V	0.20 to 0.30	0.25 to 0.30	0.25 to 0.30	0.50	0.80 to 0.90
18V	0.20 to 0.30	0.15 to 0.20	0.15 to 0.20	0.40	0.80 to 0.90
24V	0.5	0.35 to 0.40	0.35 to 0.40	0.65	1.4 to 1.5
V4V,V8V	0.7 to 0.9	0.4 to 0.45	0.4 to 0.45	0.80	2 to 2.4
34V,38V	0.7 to 0.9	0.4 to 0.5	0.4 to 0.5	0.80	2.2 to 2.6
S8V	1 to 1.2	0.5 to 0.75	0.5 to 0.75	1.27	3.2 to 3.8



Recommended Soldering Conditions

Recommendations and precautions are described below.

- Recommended soldering conditions for reflow
- · Reflow soldering shall be performed a maximum of two times.
- Please contact us for additional information when used in conditions other than those specified.
- Please measure the temperature of the terminals and study every kind of solder and printed circuit board for solderability before actual use.



_		· _ ·	· ·
For	soldering	(Example :	Sn/Ph)
1 01	ooraornig	(Example .	

	Temperature	Time
Preheating	140 °C to 160 °C	60 s to 120 s
Main heating	Above 200 °C	30 s to 40 s
Peak	235 + 5 °C	max 10 s

For lead-free solder	ing (Example : Sn/Ag/Cu)	

	Temperature	Time
Preheating	150 °C to 180 °C	60 s to 120 s
Main heating	Above 230 °C	30 s to 40 s
Peak	max. 260 °C	max. 10 s

Flow soldering

We do not recommend flow soldering, because a solder bridge may form.

▲ Safety Precautions

The following are precautions for individual products. Please also refer to the precautions common to Fixed Resistors shown on page ER3 of this catalog.

1. Take measures against mechanical stress during and after mounting of Chip Resistor Array (hereafter called the resistors) so as not to damage their electrodes and protective coatings.

Be careful not to misplace the resistors on the land patterns. Otherwise, solder bridging may occur.

2. If a transient load (heavy load in a short time) like a pulse is expected to be applied, check and evaluate the operations of the resistors when installed in your products before use.

Never exceed the rated power. Otherwise, the performance and/or reliability of the resistors may be impaired.

- 3. Do not use halogen-based or other high-activity flux. Otherwise, the residue may impair the resistors' performance and/or reliability.
- 4. When soldering with a soldering iron, never touch the resistors' bodies with the tip of the soldering iron. When using a soldering iron with a high temperature tip, finish soldering as quickly as possible (within three seconds at 350 °C max.).
- 5. As the amount of applied solder becomes larger, the mechanical stress applied to the resistors increases, causing problems such as cracks and faulty characteristics. Avoid applying an excessive amounts of solder.
- 6. Do not apply shock to the resistors or pinch them with a hard tool (e.g. pliers and tweezers). Otherwise, the resistors' protective coatings and bodies may be chipped, affecting their performance.
- 7. Avoid excessive bending of printed circuit boards in order to protect the resistors from abnormal stress.

▲ Safety Precautions

(Common precautions for Fixed Resistors)

- When using our products, no matter what sort of equipment they might be used for, be sure to make a written agreement on the specifications with us in advance. The design and specifications in this catalog are subject to change without prior notice.
- Do not use the products beyond the specifications described in this catalog.
- This catalog explains the quality and performance of the products as individual components. Before use, check and evaluate their operations when installed in your products.
- Install the following systems for a failsafe design to ensure safety if these products are to be used in equipment where a defect in these products may cause the loss of human life or other significant damage, such as damage to vehicles (automobile, train, vessel), traffic lights, medical equipment, aerospace equipment, electric heating appliances, combustion/gas equipment, rotating equipment, and disaster/crime prevention equipment.
- * Systems equipped with a protection circuit and a protection device
- * Systems equipped with a redundant circuit or other system to prevent an unsafe status in the event of a single fault

(1) Precautions for use

- These products are designed and manufactured for general and standard use in general electronic equipment (e.g. AV equipment, home electric appliances, office equipment, information and communication equipment)
- These products are not intended for use in the following special conditions. Before using the products, carefully check the effects on their quality and performance, and determine whether or not they can be used.
 - 1. In liquid, such as water, oil, chemicals, or organic solvent
 - 2. In direct sunlight, outdoors, or in dust
 - 3. In salty air or air with a high concentration of corrosive gas, such as Cl₂, H₂S, NH₃, SO₂, or NO₂
 - 4. In an environment where strong static electricity or electromagnetic waves exist
 - 5. In an environment where these products cause dew condensation
 - 6. Sealing or coating of these products or a printed circuit board on which these products are mounted, with resin or other materials
- These products generate Joule heat when energized. Carefully position these products so that their heat will not affect the other components.
- Carefully position these products so that their temperatures will not exceed the category temperature range due to the effects of neighboring heat-generating components. Do not mount or place heat-generating components or inflammables, such as vinyl-coated wires, near these products.
- Note that non-cleaning solder, halogen-based highly active flux, or water-soluble flux may deteriorate the performance or reliability of the products.
- Carefully select a flux cleaning agent for use after soldering. An unsuitable agent may deteriorate the performance or reliability. In particular, when using water or a water-soluble cleaning agent, be careful not to leave water residues. Otherwise, the insulation performance may be deteriorated.

(2) Precautions for storage

The performance of these products, including the solderability, is guaranteed for a year from the date of arrival at your company, provided that they remain packed as they were when delivered and stored at a temperature of 5 °C to 35 ° C and a relative humidity of 45 % to 85 %.

Even within the above guarantee periods, do not store these products in the following conditions. Otherwise, their electrical performance and/or solderability may be deteriorated, and the packaging materials (e.g. taping materials) may be deformed or deteriorated, resulting in mounting failures.

1. In salty air or in air with a high concentration of corrosive gas, such as Cl₂, H₂S, NH₃, SO₂, or NO₂

2. In direct sunlight

<Package markings>

Package markings include the product number, quantity, and country of origin. In principle, the country of origin should be indicated in English.