



NOTES:

1. MATERIAL: HOUSING - 6/6 NYLON, UL94V-2  
TERMINALS - BRASS
2. FINISH: SEE CHART ON SHEET 2
3. PRODUCT SPECIFICATION: PS-7241
4. PARTS ARE BULK PACKAGED.
5. WARPAGE OVER ENTIRE LENGTH NOT TO EXCEED .015/(0.38).
6. CHAIN CUT-OFF (TYP. BOTH ENDS)  
WO/FLANGE - FLUSH TO +.015/(0.38) FROM DATUM C.
7. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

COLOR STRIPE RUNNING LENGTH OF HOUSING LOCATION APPROXIMATELY AS SHOWN (SEE CHART ON SHEET 2)



RECOMMENDED PC BOARD

UPDATE NOTES EC NO: UCP2008-1734 DRW:ADER 2008/01/29 CHKD:SCM/OT 2008/01/31 APPR:FSM/TH 2008/02/08	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .014 1 PLACE ± 0.35 ± --- ANGULAR ± 1/2°	DRAWN BY WRL DATE 1979/02/14	TITLE EDGE CONNECTOR, KK .156/ (3.96), INSULATION DISPLACEMENT		MOLEX INCORPORATED		DOCUMENT NO. SDA-7241-****
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

09-07-2032	A-7241-03LB	3	NONE	7241-3B	BLACK	40591-L(102)	.000200/(0.00508) MIN. TIN OVER .000100/(0.00254) MIN. COPPER	NONE
09-07-2031	A-7241-03L	3	NONE	7241-3	NATURAL	40591-L(102)	.000200/(0.00508) MIN. TIN OVER .000100/(0.00254) MIN. COPPER	NONE
PART NUMBER	ENGINEERING NUMBER	CIRCUITS	TERMINAL VOID IN CIRCUIT	HOUSING NUMBER	HOUSING COLOR	TERMINAL NUMBER	TERMINAL PLATING	CENTER RIB LOCATED BETWEEN CIRCUIT

COLOR IDENTIFICATION		TYPE OF WIRE TERMINATED
ASSEMBLY SUFFIX NO.	COLOR	FALL WIRES HAVE A MAXIMUM INSULATION DIAMETER OF .080/(2.03)
-*NA*	YELLOW	#18 GA SOLID OR FUSED STRANDED
-*NM*	RED	#20 GA SOLID OR FUSED STRANDED (18 GA. STRANDED WIRE)
-*NL*	BLUE	#20 GA STRANDED WIRE
-*ND*	GREEN	#26 & #27 GA STRANDED, FUSED STRANDED & SOLID WIRE OR #24 GA STRANDED WIRE
-*NJ*	BLACK	#24 & #22 GA SOLID OR FUSED STRANDED ( #22 GA STRANDED WIRE)

3	.632±.006/(16.05±0.15)
CIRCUITS	DIM *A*

ADD CHART EC NO: UCP2008-1734 DRAWN: ADERR 2008/01/29 CHKD: JSCHEMLOT 2008/01/31 APPR: F SMITH 2008/02/08 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
	▽=0	mm INCH	DRAWN BY DATE	WRL 1979/02/14	TITLE	EDGE CONNECTOR, KK .156/ (3.96), ISULATION DISPLACEMENT	
	▽=0	4 PLACES ± --- ± ---	CHECKED BY DATE	WRL 1979/02/14	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
		3 PLACES ± --- ± ---	APPROVED BY DATE	SEE CHART	SDA-7241-****	2 OF 2	
	2 PLACES ± --- ± ---			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	1 PLACE ± --- ± ---						
	ANGULAR ± --- °						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					