

This document was generated on 02/25/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>0444412006</u>

Status: Active
Overview: sabre

Description: 7.50mm (.295") Pitch Sabre™ Receptacle Housing, Single Row, PA Polyamide Nylon

6/6, UL 94V-0, 6 Circuits, Glow Wire Compatible

Documents:

3D Model Packaging Specification PK-44441-001 (PDF)
Drawing (PDF) RoHS Certificate of Compliance (PDF)

Product Specification PSX-44441-9999 (PDF)

Agency Certification

CSA LR19980 UL E29179

General

Product Family Crimp Housings

Series 44441 Application Power

Comments Meets UL 1950 finger proof standard when mated

to 43680-2006 plug loaded with 43178-5002 or 43178-6002 male terminals or when mated to a 46007

series 2 circuit, UL 94V-0 right angle header.

MolexKits Yes
Overview <u>sabre</u>

Product Literature Order No USA-113
Product Name Sabre™

Physical

Circuits (maximum) 6 Color - Resin Black Flammability 94V-0 Gender Female Glow-Wire Compliant Yes Lock to Mating Part Yes Material - Resin Nylon Number of Rows Packaging Type Bag

Panel Mount No
Pitch - Mating Interface 7.50mm (.295")

Polarized to Mating Part Yes
Stackable No

Temperature Range - Operating -40°C to +75°C

Electrical


Current - Maximum per Contact 18A

Material Info

Reference - Drawing Numbers

Packaging Specification PK-44441-001
Product Specification PSX-44441-9999
Sales Drawing SD-44441-2006

This document was generated on 02/25/2011



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Low-Halogen Status
Low-Halogen

(e)

China RoHS

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

44441 Series

Mates With

436802006 Plug Housing. 43160 6 Circuit, UL 94V0 Vertical or Right Angle Headers. 46007 6 Circuit, UL 94V0 Right Angle, UL 1950 Finger Proof Safe Headers

Use With

43375 Female Crimp Terminals

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION