








DIMENSION 'B'	MAXIMUM PANEL THICKNESS
.380 ± .005 / 9.65 ± 0.13	.039 / 0.99
.420 ± .005 / 10.67 ± 0.13	.064 / 1.63

INITIAL RELEASE EC NO. UCP2003-0543 DRWN:DMORGAN 02/10/18 CHK:BBARKER 02/10/18 APPR:SMILLER 02/10/18	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 4:1	DESIGN UNITS ☐ mm ☒ INCH	THIRD ANGLE PROJECTION ☒ THIRD ANGLE	DIMENSIONS: ☐ mm ☒ INCH ☐ mm ONLY		SHT	REV	
	MAJOR	4 PLACES ±0.	INCH ±.	DMORGAN 02/10/18	TITLE: SALES DMS-59 RECEPTALCE						
	CRITICAL	3 PLACES ±0.	INCH ±0.10	BBARKER 02/10/18	LFH .050/1.27 PITCH						
		2 PLACES ±0.25	INCH ±0.15	SMILLER 02/10/18	RIGHT ANGLE I/O 59 CKT						
		1 PLACE ±0.38	INCH ±.			MOLEX INCORPORATED					
		ANGULAR: ± 1/2 °		CAD FILENAME	MATERIAL NO.	DRAWING NO.	SD-75134-001		SHEET NO.	2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE	C