

# HC-B 24-KML-80/O1STM32

Order No.: 1647268



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1647268>

HEAVYCON coupling housing B24, with single locking latch, height 80 mm, with thread 1x M32

| Commercial data          |  |
|--------------------------|--|
| GTIN (EAN)               | <br>4 017918 985004 |
| Note                     | Made-to-order  |
| sales group              | D002   |
| Pack                     | 10 pcs.  |
| Customs tariff           | 85369010   |
| Catalog page information | Page 497 (PC-2009)   |

**Product notes**

WEEE/RoHS-compliant since:  
02/21/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.


## Technical data

| General data |   |
|--------------|---|
| Note         | For contact inserts HC-B24, BB46, D64, DD108, M |
| Design       | B24   |
| Height       | 80 mm   |
| Width        | 43 mm   |
| Length       | 120 mm  |

|                                 |                                 |
|---------------------------------|---------------------------------|
| Housing type                    | Coupling housings               |
| Locking type                    | With single locking latch       |
| Type of the screw connection    | 1x M32                          |
| Degree of protection            | IP65                            |
| Ambient temperature (operation) | -40 °C ... 125 °C               |
| Housing material                | Aluminum, die-cast              |
| Housing surface material        | Powder-coated, gray             |
| Seal material                   | NBR                             |
| Material lock                   | High-grade steel, handle: PA-GF |
| Material grip body interlock    | PA-GF                           |

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;