


HC-B 10-SFQD-52/M1PG16

Order No.: 1771406

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771406>

Box mounting base, for double locking latch, height 52 mm, with screw connection, 1x Pg16, with protective covers

Commercial data

GTIN (EAN)	 4 017918 036133
sales group	D002
Pack	10 pcs.
Customs tariff	85389099
Catalog page information	Page 487 (PC-2009)

Product notesWEEE/RoHS-compliant since:
02/24/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

Note	For contact inserts HC-B10, BB18, DD42, M, K8/24
Design	B10
Height	52 mm
Width	52 mm
Length	93 mm

Housing type	Box mounting base with cover
Locking type	For double locking latch
Cable exit	Conductor exit direction to the left (looking into the open protective cover)
Type of the screw connection	1x Pg16
Pg screw connection	With
Wrench size, union nut	22 mm
External cable diameter	7.5 mm ... 15 mm
Protective cover	Yes
Degree of protection	IP65 protection when the connector is inserted
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Cable gland material	Nickel-plated brass
Cable seal material	NBR
Material, protective cover	PA

Certificates / Approvals




Certification

GOST

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;