


REV	DATE	DESCRIPTION	BY	CHK	APP
CM	00				

- △ MATERIAL:  
 BASE: THERMOPLASTIC POLYESTER, UL 94V-0 (NATURAL).  
 POST: COPPER ALLOY (TIN OR TIN-LEAD PLATED, .000150 MIN THK).
- △ ONE HOLE MAY BE UNDERSIZED (.032-.035 DIA) FOR ASSEMBLY RETENTION DURING WAVE SOLDERING.
- 3 PARTS MUST COMPLY WITH AMP SOLDERABILITY SPEC 109-11-2.
- △ PLASTIC AROUND POST PERMISSIBLE IN THIS AREA ONLY.
- △ DIMENSION APPLIES WHEN HEADER IS HELD FLAT.
- △ MEASURED AT **-A-**
- △ COORDINATE DIMENSION APPLIES FROM CENTER OF ACTUAL FEATURE.
- △ RADIUS AT TIP PERMITTED, BOTH ENDS.
- △ POST MUST WITHSTAND 3.0 LB MIN AXIAL FORCE IN BOTH DIRECTIONS WITHOUT DISLODGING.
- △ SOLDER SIDE OF BOARD IS SHOWN.
- △ DIMENSION SHOULD BE .060 MIN WHEN MATING WITH A MTA-100 CONNECTOR ASSEMBLY OR A CST-100 CONNECTOR.
- △ DIMENSION SHOULD BE .060-.340 WHEN MATING CONNECTOR WIRING EXITS HOUSING INTO BOARD.
- 13. AMP LOGO MAY OR MAY NOT APPEAR ON MOLDING HOUSING.



REV	DATE	DESCRIPTION	BY	CHK	APP
28	2.788/70.82				
27	2.688/68.28				
26	2.588/65.74				
25	2.488/63.20				
24	2.388/60.66				
23	2.288/58.12				
22	2.188/55.58				
21	2.088/53.04				
20	1.988/50.50				
19	1.888/47.96				
18	1.788/45.42				
17	1.688/42.88				
16	1.588/40.34				
15	1.488/37.80				
14	1.388/35.26				
13	1.288/32.72				
12	1.188/30.18				
11	1.088/27.64				
10	.988/25.10				
9	.888/22.56				
8	.788/20.02				
7	.688/17.48				
6	.588/14.94				
5	.488/12.40				
4	.388/9.86				
3	.288/7.32				
2	.188/4.78				

- SUPERSEDED BY 5-644457-8
- SUPERSEDED BY 5-644457-7
- SUPERSEDED BY 5-644457-6
- SUPERSEDED BY 5-644457-5
- SUPERSEDED BY 5-644457-4
- SUPERSEDED BY 5-644457-3
- SUPERSEDED BY 5-644457-2
- SUPERSEDED BY 5-644457-1
- SUPERSEDED BY 5-644457-0
- SUPERSEDED BY 4-644457-9
- SUPERSEDED BY 4-644457-8
- SUPERSEDED BY 4-644457-7
- SUPERSEDED BY 4-644457-6
- SUPERSEDED BY 4-644457-5
- SUPERSEDED BY 4-644457-4
- SUPERSEDED BY 4-644457-3
- SUPERSEDED BY 4-644457-2
- SUPERSEDED BY 4-644457-1
- SUPERSEDED BY 4-644457-0
- SUPERSEDED BY 3-644457-9
- SUPERSEDED BY 3-644457-8
- SUPERSEDED BY 3-644457-7
- SUPERSEDED BY 3-644457-6
- SUPERSEDED BY 3-644457-5
- SUPERSEDED BY 3-644457-4
- SUPERSEDED BY 3-644457-3
- SUPERSEDED BY 3-644457-2
- SUPERSEDED BY 3-644457-1
- SUPERSEDED BY 3-644457-0

REV	DATE	DESCRIPTION	BY	CHK	APP
28	2.788/70.82				
27	2.688/68.28				
26	2.588/65.74				
25	2.488/63.20				
24	2.388/60.66				
23	2.288/58.12				
22	2.188/55.58				
21	2.088/53.04				
20	1.988/50.50				
19	1.888/47.96				
18	1.788/45.42				
17	1.688/42.88				
16	1.588/40.34				
15	1.488/37.80				
14	1.388/35.26				
13	1.288/32.72				
12	1.188/30.18				
11	1.088/27.64				
10	.988/25.10				
9	.888/22.56				
8	.788/20.02				
7	.688/17.48				
6	.588/14.94				
5	.488/12.40				
4	.388/9.86				
3	.288/7.32				
2	.188/4.78				

THIS DRAWING IS A CONTROLLED DOCUMENT.

TE Connectivity  
 MTA-100 HEADER ASSEMBLY, NARROW, .025 SQUARE, RIGHT ANGLE POST, TIN PLATED

REV: 00  
 DATE: 11/11/11  
 BY: CM  
 CHK: RK  
 APP: HMR

SIZE: 10:1