

This document was generated on 02/02/2011

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0712262625
Status: Obsolete

Description: 1.00mm (.039") Pitch ZIF Receptacle, Vertical, without FFC Retention Barbs, 2.25mm

(.089") PC Tail Length, without Plastic Polarizing Peg, 26 Circuits

**Documents:** 

Drawing (PDF)

**Agency Certification** 

CSA LR19980 UL E29179

General

Product Family FFC/FPC Connectors

Series 71226

Comments Options: Barb, Peg, Color

Product Name N/A

**Physical** 

 Circuits (Loaded)
 26

 Color - Resin
 Natural

 Contact Position
 N/A

 Durability (mating cycles max)
 5

 Entry Angle
 Vertical

 Flammability
 94V-0

Mated Height 6.00mm (.236")
Material - Metal Phosphor Bronze

Material - Plating Mating Tin Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

 Number of Rows
 1

 Orientation
 Vertical

 PC Tail Length
 2.25mm (.089")

PCB Retention Yes
Packaging Type Tray

 Pitch - Mating Interface
 1.00mm (.039")

 Plating min - Mating
 5.080μm (200μ")

 Plating min - Termination
 5.080μm (200μ")

Polarized to PCB No Stackable No Surface Mount Compatible (SMC) Yes

Temperature Range - Operating -20°C to +80°C
Termination Interface: Style Through Hole
Wire/Cable Type FFC/FPC

**Electrical** 

Current - Maximum per Contact 1A Voltage - Maximum 125V

**Solder Process Data** 


Lead-free Process Capability Wave Capable (TH only)

**Material Info** 

Old Part Number A-71226-2625

Reference - Drawing Numbers

Sales Drawing SD-71226-\*\*\*5



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed



Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

71226Series

## This document was generated on 02/02/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION