



NOTES:
 1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
 *2. P/NS 106032-5020, 106032-0140, 106032-5310, 106032-5990 AND 106032-0910 ARE BULK PACKED IN QUANTITIES OF 100 pcs.

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: ZORANKETZNER 2007/01/12 CHKD: 2007/01/12 APPR: LGUMIN 2007/01/15 REV B1	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>3 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>2 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>1 PLACE</td> <td>±---</td> <td>±---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±---	±---	1 PLACE	±---	±---	DIMENSION STYLE IN/MM	SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		mm	INCH																		
	4 PLACES	±---	±---																		
	3 PLACES	±---	±---																		
2 PLACES	±---	±---																			
1 PLACE	±---	±---																			
			DRAWN BY RPACIFICI	DATE 2005/12/22	TITLE SC CONNECTOR (TUNABLE)																
			CHECKED BY DATE	APPROVED BY DATE	MOLEX MOLEX INCORPORATED																
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-106032-XXX0	SHEET NO. 1 OF 3																

tb_frame_C_P_ME_T
 Rev. D 2004/04/02

10	9	8	7	6	5	4	3	2	1		
CONNECTOR P/N	Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)	CONNECTOR P/N	Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)
106032-0000	127	BLUE	BLUE	MULTIMODE	3	106032-3000	128	BLUE	BLUE	MULTIMODE	3
106032-0900					2.0 & 1.6 DUPLEX	106032-3900					2.0 & 1.6 DUPLEX
106032-0100					1.6 SIMPLEX	106032-3100					1.6 SIMPLEX
106032-0050					3	106032-3060					3
106032-0950		WHITE	BEIGE		2.0 & 1.6 DUPLEX	106032-3960		2.0 & 1.6 DUPLEX			
106032-0150					1.6 SIMPLEX	106032-3160		1.6 SIMPLEX			
106032-0060		BEIGE	BEIGE		3	106032-3050		3			
106032-0910*					2.0 & 1.6 DUPLEX	106032-3950		2.0 & 1.6 DUPLEX			
106032-0960					1.6 SIMPLEX	106032-3150		1.6 SIMPLEX			
106032-0140*					3	106032-3080		3			
106032-0160	2.0 & 1.6 DUPLEX			106032-3980	2.0 & 1.6 DUPLEX						
106032-0080	1.6 SIMPLEX			106032-3180	1.6 SIMPLEX						
106032-0980	RED	RED	2.0 & 1.6 DUPLEX	106032-3970	2.0 & 1.6 DUPLEX						
106032-0180			1.6 SIMPLEX	106032-3070	3						
106032-0070	BLACK	BLACK	3	106032-3170	1.6 SIMPLEX						
106032-0970			2.0 & 1.6 DUPLEX								
106032-0170			1.6 SIMPLEX								
106032-2000	125.5	YELLOW	BLUE	SINGLE MODE	3						
106032-2900					2.0 & 1.6 DUPLEX						
106032-2100					1.6 SIMPLEX						
106032-2050					3						
106032-2950		WHITE	BLUE		2.0 & 1.6 DUPLEX						
106032-2150					1.6 SIMPLEX						
106032-2080		RED	RED		3						
106032-2980					2.0 & 1.6 DUPLEX						
106032-2180					1.6 SIMPLEX						
106032-2070					3						
106032-2970	BLACK	BLACK	2.0 & 1.6 DUPLEX								
106032-2170			1.6 SIMPLEX								

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: R. MEYER CHKD: R. MEYER APPR: G. MINN 2007/01/12 2007/01/12 2007/01/15	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION															
	$\nabla=0$ $\sphericalangle=0$	<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	IN/MM	4:1	INCH	
		mm	INCH																		
	4 PLACES	± ---	± ---																		
3 PLACES	± ---	± ---																			
2 PLACES	± ---	± ---																			
1 PLACE	± ---	± ---																			
REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: RPACIFIC1 DATE: 2005/12/22 CHECKED BY: _____ DATE: _____ APPROVED BY: _____ DATE: _____	TITLE	SC CONNECTOR (TUNABLE)																	
B1		ANGULAR ±1/2°	MATERIAL NO.	DOCUMENT NO.	MOLEX INCORPORATED	STEEY NO.															
			SEE TABLE	SD-106032-XXX0		2 OF 3															
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		

lb_frame_B_P_ME_T
Rev. D 2004/04/02

10	9	8	7	6	5	4	3	2	106032				
CONNECTOR P/N	Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)	CONNECTOR P/N	Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)		
106032-4000	125	YELLOW	BLUE	SINGLE MODE	3	106032-6000	125.5	YELLOW	BLUE	SINGLE MODE	3		
106032-4900					2.0 & 1.6 DUPLEX	106032-6900					2.0 & 1.6 DUPLEX		
106032-4100					1.6 SIMPLEX	106032-6100					1.6 SIMPLEX		
106032-4050					3	106032-7000					3		
106032-4950					2.0 & 1.6 DUPLEX	106032-7900					2.0 & 1.6 DUPLEX		
106032-4150		WHITE			RED	1.6 SIMPLEX		106032-7100			1.6 SIMPLEX		
106032-4080						3		106032-7050			3		
106032-4980						2.0 & 1.6 DUPLEX		106032-7950			2.0 & 1.6 DUPLEX		
106032-4180						1.6 SIMPLEX		106032-7150			1.6 SIMPLEX		
106032-4070						3		106032-7080			3		
106032-4970	126	BLACK	BLACK	SINGLE MODE	2.0 & 1.6 DUPLEX	106032-7980	127	WHITE	RED	SINGLE MODE	2.0 & 1.6 DUPLEX		
106032-4170					1.6 SIMPLEX	106032-7180					1.6 SIMPLEX		
106032-5000					3	106032-7070					3		
106032-5020*					YELLOW	BLUE					2.4	106032-7970	2.0 & 1.6 DUPLEX
106032-5300											2.0 & 1.6 DUPLEX	106032-7170	1.6 SIMPLEX
106032-5310*		1.6 SIMPLEX											
106032-5900		3											
106032-5990*		WHITE						RED			2.0 & 1.6 DUPLEX		
106032-5100					1.6 SIMPLEX								
106032-5050					3								
106032-5950	2.0 & 1.6 DUPLEX												
106032-5150	1.6 SIMPLEX												
106032-5080	RED	RED	3										
106032-5980			2.0 & 1.6 DUPLEX										
106032-5180			1.6 SIMPLEX										
106032-5070			3										
106032-5970			2.0 & 1.6 DUPLEX										
106032-5170	BLACK	BLACK	1.6 SIMPLEX										

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: MEVZNER CHKD: 2007/01/12 APPR: GUMIN 2007/01/15 REV B1	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION															
	$\nabla=0$ $\sphericalangle=0$	<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	IN/MM	4:1	INCH	
		mm	INCH																		
	4 PLACES	± ---	± ---																		
3 PLACES	± ---	± ---																			
2 PLACES	± ---	± ---																			
1 PLACE	± ---	± ---																			
	<table border="1"> <tr> <td>DRAWN BY</td> <td>DATE</td> </tr> <tr> <td>RPACIFIC1</td> <td>2005/12/22</td> </tr> <tr> <td>CHECKED BY</td> <td>DATE</td> </tr> <tr> <td>APPROVED BY</td> <td>DATE</td> </tr> </table>	DRAWN BY	DATE	RPACIFIC1	2005/12/22	CHECKED BY	DATE	APPROVED BY	DATE	TITLE	SC CONNECTOR (TUNABLE)										
DRAWN BY	DATE																				
RPACIFIC1	2005/12/22																				
CHECKED BY	DATE																				
APPROVED BY	DATE																				
	<table border="1"> <tr> <td>MATERIAL NO.</td> <td>DOCUMENT NO.</td> <td>STREET NO.</td> </tr> <tr> <td>SEE TABLE</td> <td>SD-106032-XXX0</td> <td>3 OF 03</td> </tr> </table>	MATERIAL NO.	DOCUMENT NO.	STREET NO.	SEE TABLE	SD-106032-XXX0	3 OF 03	MOLEX INCORPORATED													
MATERIAL NO.	DOCUMENT NO.	STREET NO.																			
SEE TABLE	SD-106032-XXX0	3 OF 03																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					