Searchable Features:	
Brand:	AMP
Government/Industry Qualification:	No
RoHS/ELV Compliance:	Not reviewed for compliance
Lead Free Solder Process:	Not reviewed for lead free solder process
Terminal Shape:	Ring Tongue
Receptacle Style:	Straight
Body Style:	SOLISTRAND
Barrel Type:	Closed Barrel
Wire/Cable Type:	Regular Wire
Wire Range (mm [AWG]):	1.04-2.622 [16-14]
Wire Range (CMA):	2,050 – 5,180
Insulation:	No

Other Properties:	
Barrel I.D. Min. (mm [in]):	2.16 [0.085]
Stock Thickness (mm [in]):	0.84 [0.033]
Packaging Quantity:	100/Box

Search
Competitor
Cross Reference

Lead Free SolutionsTool SearchHelp/Glossary

Insulation Support:	Non-Insulation Support
Stud Size:	4
Stud Diameter (mm [in]):	2.84 [0.112]
Shape:	RING-048
Heavy Duty:	Standard
Packaging Method:	Loose Piece
Material:	Copper
Finish:	Tin

Copyright and Privacy Statement
Visit Tyco International, Ltd.

Products | Catalog | Brands | Industries | Commerce | Supplier | Contact Us | About | Home

i2 Technologies US, Inc.

HTML Pages converted to PDF Document

This document contain component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.



Powering the Bottom Line ®