


PC board drilling dimensions (after plating)
(thickness ≤ 3.20 ± 0.30mm)



TIN LEAD PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER	PART NUMBER	PART NUMBER
09	30.81	24.99	16.96	16.21	10.96	D09S91C4PX00	D09S91C6PX00	D09S91C8PX00
15	39.14	33.32	25.18	24.54	19.18	D15S91C4PX00	D15S91C6PX00	D15S91C8PX00
25	53.03	47.04	39.12	38.25	33.12	D25S91C4PX00	D25S91C6PX00	D25S91C8PX00
37	69.32	63.50	55.68	54.71	49.68	D37S91C4PX00	D37S91C6PX00	D37S91C8PX00
						gold flash	0.76µ gold	1.25µ gold

LEAD FREE PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER	PART NUMBER	PART NUMBER
09	30.81	24.99	16.96	16.21	10.96	D09S91C4PX00LF	D09S91C6PX00LF	D09S91C8PX00LF
15	39.14	33.32	25.18	24.54	19.18	D15S91C4PX00LF	D15S91C6PX00LF	D15S91C8PX00LF
25	53.03	47.04	39.12	38.25	33.12	D25S91C4PX00LF	D25S91C6PX00LF	D25S91C8PX00LF
37	69.32	63.50	55.68	54.71	49.68	D37S91C4PX00LF	D37S91C6PX00LF	D37S91C8PX00LF
						gold flash	0.76µ gold	1.25µ gold

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001

European Views

www.fciconnect.com		surface ISO 1302	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	MASSON	2000/07/27	ANGULAR	0.X ± 0.1
Eng	PESSON	2000/07/27	LINEAR	0.XX ± 0.1
Chr	LEGARE	2000/07/27	0.XX' ± 2'	0.XXX ± 0.1
Appr	LEGARE	2000/07/27	Product family	D-SUB Spec ref -
Title FEMALE CONNECTOR DELTA D			size A3	Scale 2
Straight Press-Fit			ECN LS06-0140	Rev. H
catalog no			Part no C01-8646-0129	CUSTOMER sheet 1 of 1

rev	ecn no	dr	date
E	-	MAS	2000/07/27
F	LS05-004	MPE	2005/02/08
G	LS06-0097	LGO	2006/07/29
H	LS06-0140	LGO	2006/09/22
-	-	-	-
-	-	-	-
-	-	-	-

REV F - 2006-04-17

PDM: Rev:H STATUS:Released Printed: Jan 18, 2011



Copyright FCI.