

NO.	MASSE / DIMENSION
A	46.6
B1	21.5
B2	16.6
C	43.3
D	58
E	66

NO.	BESCHREIBUNG / DESCRIPTION
1	ISOLIERKÖRPER STIFT / INSULATOR PIN
3	DICHTKÖRPER / GROMMET
4	ENDRING / ENDRING
5	KONTAKTSTIFT/ CONTACT PIN
7	ZYLINDERGHÄUSE / BARREL
9	ÜBERWURFMUTTER / COUPLING NUT
10	DICHTRING FRONT / FRONT SEALING RING
12	ENDGEHÄUSE / ENDBELL

Note: Due to an automatic nomenclature system, numbers generated may not be sequential.
 Note: Durch ein automatisches Benennungssystem können Nummerierungen entstehen, die nicht fortlaufend sind.


Material Specification:
Shell Material: Aluminium alloy
Shell Plating: Olive drab chromate over cadmium plating
Insulator Material: CR-Elastomere
Contact Material: Copper alloy
Contact Plating: Hard silver


all dimensions are in mm
 Dimensions without tolerance indications are general tolerances in acc. with DIN71691



ITT
 Engineered for Life
 ITT PACIFIC CORP.
 17100 Woodside Avenue

description CA3108E24-2P-B
 Plug, 90°
 Endbell with clamp and bushing
 Solder Cup / Pin / Layout: 24-2

drawing for CUSTOMER

 All rights reserved. Reproduction or use in third party files without the written authorization of ITT Connect.

 page 1/1

 revision 392 12, Apr 11