











# DIN 41612

Reverse male, 2 row

8609 series, style Q/2



## Catalogue numbers - standard items

No of contacts	Contact arrang.	Contact termination	Contact termination
		 <p>DIAG 0.76/0.86 (.030/.034)</p> <p>4.50 ± 0.15 (.177)</p> <p>straight spills PCB 2.4/3.2 (.093/.125)</p>	 <p>DIAG 0.76/0.86 (.030/.034)</p> <p>2.75 ± 0.15 (.108)</p> <p>straight spills PCB 1.6 (.063)</p>
32		<b>8609.232.56.14.7x5.000.E1</b>	<b>8609.232.56.24.7x5.000.E1</b>
16		<b>8609.116.56.14.7x5.000.E1</b>	<b>8609.116.56.24.7x5.000.E1</b>
16		<b>8609.216.56.14.7x8.000.E1</b>	<b>8609.216.56.24.7x8.000.E1</b>
		 <p>DIAG 0.76/0.86 (.030/.034)</p> <p>1.3.55 ± 0.15 (.533)</p> <p>WW.2 wraps</p>	
32		<b>8609.232.56.15.7x5.000.E1</b>	
16		<b>8609.116.56.15.7x5.000.E1</b>	
16		<b>8609.216.56.15.7x8.000.E1</b>	

## Performance class / plating :

- DIN 41612 class III : replace x by 4 in part number.
- DIN 41612 class II : replace x by 5 in part number.
- DIN 41612 class I : replace x by 6 in part number.

Contact plating : selective gold over nickel on contact area, tin-lead on termination.

## Options :

Special terminations and contact arrangements are available upon request : consult factory.


First make/last break : see page 65

Harpoons : see page 67

# DIN 41612

Reverse female, 2 row

8609 series, style Q/2



## Catalogue numbers - standard items

No of contacts	Contact arrang.	Contact termination
		<p>angled spills PCB 1,6 (.063)</p>
32		<b>8609.232.66.13.7x5.000.E1</b>
16		<b>8609.116.66.13.7x5.000.E1</b>
16		<b>8609.216.66.13.7x8.000.E1</b>

## Performance class / plating :

- DIN 41612 class III : replace x by **4** in part number.
- DIN 41612 class II : replace x by **5** in part number.
- DIN 41612 class I : replace x by **6** in part number.

Contact plating : selective gold over nickel on contact area, tin-lead on termination.

## Options :

Special terminations and contact arrangements are available upon request : consult factory.

Harpoons : see page 67