


SAW Bandpass Filter 271101B



1. Features

- IF bandpass filter
- High attenuation
- Single-ended operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)


2. Package Dimension



Package : D2012

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271101B	
		Rev. Date	2004-10-22	
		Rev.	DS4055-CS01	1/5

SAW Bandpass Filter 271101B



3. Specifications

Fo = 70.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	69.9	70.0	70.1
Insertion Loss	dB	-	22.0	25.0
1dB Bandwidth	MHz	10.0	10.6	-
3dB Bandwidth	MHz	10.9	11.0	-
40dB Bandwidth	MHz	-	12.45	12.8
Amplitude Ripple (Fo +/- 5.0 MHz)	dB	-	0.7	1.0
Group Delay Variation (Fo +/- 5.0 MHz)	nsec	-	50	100
Absolute Delay	usec	-	2.3	-
Ultimate Rejection	dB	50	55	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271101B	
		Rev. Date	2004-10-22	
		Rev.	DS4055-CS01	2/5

SAW Bandpass Filter 271101B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)




5. Marking Configuration

ITF¹⁾ 04A001²⁾

271101B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	271101B
		Rev. Date	2004-10-22
		Rev.	DS4055-CS01

SAW Bandpass Filter 271101B








6. Typical Performance (at +25°C)



	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809		Part No.	271101B
			Rev. Date	2004-10-22
			Rev.	DS4055-CS01 4/5

SAW Bandpass Filter 271101B



 <p>ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809</p>	Part No.	271101B	
	Rev. Date	2004-10-22	
	Rev.	DS4055-CS01	5/5