

4

3

2

1






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
COPYRIGHT - ALL RIGHTS RESERVED.

LOC H DIST -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
S	2	ADDED NOTE INDICATING POLARISATION SLOT	29OCT2012	SP	RP


REFERENCE MATING INTERFACE PATTERN:
1,27 STAGGERED PITCH x 1,5 ROW-DISTANCE.



PARTNUMBER VAC. TAPE.	PARTNUMBER	NR. OF POS. "n"	"A"	"B" MAX.
7-188275-4	0-188275-4	4	3,81	7,1
7-188275-6	0-188275-6	6	6,35	9,7
7-188275-8	0-188275-8	8	8,89	12,2
8-188275-0	1-188275-0	10	11,43	14,7
8-188275-2	1-188275-2	12	13,97	17,3
8-188275-4	1-188275-4	14	16,51	19,8
8-188275-6	1-188275-6	16	19,05	22,4
8-188275-8	1-188275-8	18	21,59	24,9
9-188275-0	2-188275-0	20	24,13	27,5

NOTES:

- △ TAPE FOR VACUUM P&P ONLY FOR DASHNUMBERS 7- /8- /9- 2 FOR PACKAGING SEE SHEET 2 OF 2
- △ WITHOUT VACUUM TAPE.
- △ CORING-OUTS FOR MANUFACTURING PURPOSE ONLY. SHAPE MAY VARY, BUT IS NOT FUNCTIONAL FOR THE APPLICATION.
- 5 SHOWN IS A 10 POSITION CONNECTOR.



ITEM NO.	COMPONENT DESCRIPTION	MATERIAL	FINISH / COLOR
3	PICK&PLACE TAPE	KAPTON	AMBER TRANSPARENT
2	FEMALE HOUSING	G.F.POLYAMIDE	RED
1	FEMALE CONTACT	PHOSPHOR BRONZE	TIN OVER NICKEL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±

DWN	M. GOSSELINK
CHK	-
APVD	-
PRODUCT SPEC	NAME
108-19052	
APPLICATION SPEC	
WEIGHT	
CUSTOMER DRAWING	

TE Connectivity

CONNECTOR, FEMALE-ON-BOARD TOP-ENTRY, SMD, Micro-MaTch

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=188275	-

RECOMMENDED PC-BOARD PAD-LAYOUT TOP VIEW

4

3

2

1


THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


© COPYRIGHT -

ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
H	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1					



7-188275-4 4 POSITION 0-188275-4	7-188275-6 6 POSITION 0-188275-6	7-188275-8 8 POSITION 0-188275-8	8-188275-0 10 POSITION 1-188275-0
--	--	--	---



8-188275-2 12 POSITION 1-188275-2	8-188275-4 14 POSITION 1-188275-4	8-188275-6 16 POSITION 1-188275-6	8-188275-8 18 POSITION 1-188275-8	9-188275-0 20 POSITION 2-188275-0
---	---	---	---	---



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. GOSSELINK	TE Connectivity CONNECTOR, FEMALE-ON-BOARD TOP-ENTRY, SMD, Micro-MaTch												
DIMENSIONS: mm		CHK -			NAME -										
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	PRODUCT SPEC 108-19052	RESTRICTED TO -											
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±0.1</td></tr> <tr><td>2 PLC</td><td>±0.05</td></tr> <tr><td>3 PLC</td><td>±</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>*</td></tr> </table>		0 PLC	±		1 PLC	±0.1	2 PLC	±0.05	3 PLC	±	4 PLC	±	ANGLES	*	APPLICATION SPEC -
0 PLC	±														
1 PLC	±0.1														
2 PLC	±0.05														
3 PLC	±														
4 PLC	±														
ANGLES	*														
MATERIAL -		FINISH -	WEIGHT -	CAGE CODE 00779											
		DRAWING NO C-188275		SCALE 1:1											
		CUSTOMER DRAWING		SHEET 2 OF 2											
				REV C S2											