





ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART, CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.DWG

REVISIONS

DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
XX	A	RELEASED	LG	29-09-08	JN	29-09-08	JN	29-09-08

DOC. NO. SPC-F005 * Effective 7/8/02 * DCP No: 1398



MODEL NO.	SWITCHING POSITION		
SPC21263	ON	OFF	ON
CONN. TERMS	2-3	OPEN	2-1
SCHEMATIC			

NON-SHORTING TYPE



DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
LG	29-09-08
CHECKED BY:	DATE:
JN	29-09-08
APPROVED BY:	DATE:
JN	29-09-08

DRAWING TITLE:			
TOGGLE SWITCHES			
SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	SPC21263	11M0458	A
SCALE: NTS	U.O.M.: INCHES [mm]	SHEET: 1 OF 1	



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART, CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.DWG

REVISIONS

DOC. NO. SPC-F005 * Effective: 7/8/08 * DCP No: 1398

DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
XX	A	RELEASED	LG	29-09-08	JN	29-09-08	JN	29-09-08

SPECIFICATIONS



ELECTRICAL

CONTACT RATING:
 SILVER: 5A @ 120 VAC OR 28 VDC, 1A @ 250 VAC
 GOLD: 0.4 VA MAX. @ 20 V MAX. (AC OR DC)
 CONTACT RESISTANCE: 10 MILLIOHMS MAX.
 INSULATION RESISTANCE: 1,000 MEGOHMS MIN. AT 500 VDC
 DIELECTRIC STRENGTH: 1,000 VRMS

MECHANICAL

LIFE: 40,000 CYCLES

ENVIRONMENTAL

OPERATING TEMPERATURE: -30°C TO +85°C

MATERIAL:

CASE: DAP, UL94V-0
 HOUSING: STAINLESS STEEL
 ACTUATOR: BRASS, CHROME PLATED
 BUSHING: BRASS, NICKEL PLATED
 SUPPORT: BRASS, TIN PLATED
 CONTACT/TERMINALS: COPPER ALLOY, SILVER PLATED

REGULATORY

UL AND CANADA RECOGNIZED COMPONENT. UL/CUL FILE NO. E173084.

DISCLAIMER:
 ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
LG	29-09-08
CHECKED BY:	DATE:
JN	29-09-08
APPROVED BY:	DATE:
JN	29-09-08

DRAWING TITLE:

TOGGLE SWITCHES

SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	SPC21263	11M0458	A
SCALE: NTS	U.O.M.: INCHES [mm]	SHEET: 1 OF 1	



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART, CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.DWG



REVISIONS

DOC. NO. SPC-F005 * Effective 7/8/08 * DCP No: 1398


DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
XX	A	RELEASED	LG	29-09-08	JN	29-09-08	JN	29-09-08

ACTUATOR OPTIONS


NOTE: OPTIONAL TOGGLE CAP AVAILABLE



BUSHING OPTIONS



TERMINATION OPTIONS



DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
LG	29-09-08
CHECKED BY:	DATE:
JN	29-09-08
APPROVED BY:	DATE:
JN	29-09-08

DRAWING TITLE:			
TOGGLE SWITCHES			
SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	SPC21263	11M0458	A
SCALE: NTS	U.O.M.: INCHES [mm]	SHEET: 1 OF 1	



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART, CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.


SPC-F005.DWG

REVISIONS



DOC. NO. SPC-F005 * Effective 7/8/02 * DCP No: 1398

DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
XX	A	RELEASED	LG	29-09-08	JN	29-09-08	JN	29-09-08


STANDARD NUTS




OPTIONAL NUTS




LOCK WASHER



LOCKING RING



PANEL MOUNTING



DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
LG	29-09-08
CHECKED BY:	DATE:
JN	29-09-08
APPROVED BY:	DATE:
JN	29-09-08

DRAWING TITLE:

TOGGLE SWITCHES

SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	SPC21263	11M0458	A
SCALE:	U.O.M.: INCHES [mm]	SHEET: 1 OF 1	
NTS			