



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART. CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS			DOC: NO	2007-092 <i>a</i>	* Effe	ictive 7/8/	.05 × 11	CP No: 1398
DCP #	RE∨	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVI	DATE
xx	Α	RELEASED	LG	26-09-08	JN	26-09-08	JN	26-09-08





	SWITCHING POSITION				
MODELNO.					
SPC21311	ΠN	OFF	DΝ		
CONN. TERMS	2-3 5-6	OPEN	2-1 5-4		
SCHEMATIC	DPDT 92 CDMM. 95 COMM.				
NON-SHORTING TYPE					



REV

Α

1 OF 1

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED
HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE
BELIEVE TO BE ACCURATE AND RELIABLE. SINCE
CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE
USER SHALL DETERMINE THE SUTTABILITY OF THE PRODUCT
FOR THE INTENDED USE AND ASSUME ALL RISK AND
LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE
LG	26-09-08
CHECKED BY:	DATE:
JN	26-09-08
APPROVED BY:	DATE:
JN	26-09-08

DRAW	'ING TITLE:						
			TOGGLE S	WITCI	HES		
SIZE	DWG. N□.			ELEC	TRONIC FI	LE	
Δ		SPC	21311	11	M0506.	dw	g
SCAL	E: NTS		U.O.M.: INCHES [mm]		SHEET	1	



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EOWNESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.0VG

REVISIONS			DOC. NO	2007-092 £	* Effe	ictive 7/8/	.05 × 10	CP No: 1398
DCP #	RE∨	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVI	DATE
xx	Α	RELEASED	LG	26-09-08	JN	26-09-08	JN	26-09-08

SPECIFICATIONS

ELECTRICAL

CONTACT RATING:

SILVER: 5A @ 120 VAC DR 28 VDC, 1A @ 250 VAC

GOLD: 0.4 VA MAX. @ 20V MAX. (AC OR DC)

CONTACT RESISTANCE: 10 MILLIOHMS MAX.

INSULATION RESISTANCE: 1,000 MEGHOHMS MIN. AT 500 VDC

DIELECTRIC STRENGTH: 1,000 VRMS

MECHANICAL

LIFE: 40,000 CYCLES

ENVIRONMENTAL

□PERATING TEMPERATURE: -30°C T□ +85°C

MATERIAL:

CASE: DAP, UL94V-0
HOUSING: STAINLESS STEEL
ACTUATOR: BRASS, CHROME PLATED
BUSHING: BRASS, NICKEL PLATED

SUPPORT: BRASS, TIN PLATED

CONTACT/TERMINALS: COPPER ALLOY, GOLD PLATED

REGULATORY

UL AND CANADA RECOGNIZED COMPONENT, UL/CUL FILE NO. E173084.



DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED
HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE
BELIEVE TO BE ACCURATE AND RELIABLE. SINCE
ONDITIONS OF USE ARE BEYOND OUR CONTROL, THE
USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT
FOR THE INTENDED USE AND ASSUME ALL RISK AND
LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY: DATE:

LG 26-09-08

CHECKED BY: DATE:

JN 26-09-08

APPR□√ED BY: DATE:

JN 26-09-08

| TOGGLE | SWITCHES | SIZE | DVG. ND. | ELECTRON | 11 MOS | SPC21311 | SHE

DRAWING TITLE:

ELECTRONIC FILE REV
11M0506.dwg A

SHEET: 1 OF 1




ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

SPC-F005.11WG

		REVISIONS	DOC. NO	2 SPC-F005	* Effe	ictive 7/8/	'02 × 110	CP No: 1398
DCP #	RE∨	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVI	DATE
xx	Α	RELEASED	LG	26-09-08	JN	26-09-08	JN	26-09-08


ACTUATOR OPTIONS




NOTE: OPTIONAL TOGGLE CAP AVAILABLE



BUSHING OPTIONS



TERMINATION OPTIONS



0.76 [0.030"] THK



DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED
HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE
BELIEVE TO BE ACCURATE AND RELIABLE. SINCE
CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE
USER SHALL DETERMINE THE SUTTABILITY OF THE PRODUCT
FOR THE INTENDED USE AND ASSUME ALL RISK AND
LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:	DATE:
LG	26-09-08
CHECKED BY:	DATE:
JN	26-09-08
APPROVED BY:	DATE:
JN	26-09-08

DATE:	DRAW	'ING TITLE:								
26-09-08					TOGGLE S	WITCI	HES			
DATE:	SIZE	DWG. N□.				ELEC	TRONIC FI	LE		REV
26-09-08	Α		SPC	2131	1	11	M0506.	dw	g	Α
DATE:										
26-09-08	SCAL	E: NTS		U.D.M.:	INCHES [mm]		SHEET	1	ΟF	1




ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.


SPC-F005.0WG

REVISIONS			DOC: NO	2007-092 E	* Effe	ictive 7/8/	.05 × 13	CP No: 1398
DCP #	RE∨	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVI	DATE
XX	Α	RELEASED	LG	26-09-08	JN	26-09-08	JN	26-09-08

VARTICAL SUPPORT BRACKET



PANEL MOUNTING





DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED
HEREIN ARE BASED LIPON INFORMATION AND/OR TESTS WE
BELIEVE TO BE ACCURATE AND RELIABLE. SINCE
CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE
USER SHALL DETERMINE THE SUITABLITY OF THE PRODUCT
FOR THE INTENDED USE AND ASSUME ALL RISK AND
LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:	DATE:
LG	26-09-08
CHECKED BY:	DATE:
JN	26-09-08
APPROVED BY:	DATE:
JN	26-09-08

-	DRAW	'ING TITLE:									
-08				TOGGLE SWITCHES							
-	SIZE	DWG. N□.					ELEC	TRONIC FI	LE		REV
-08	Α	A SPC21311					11M0506.dwg				Α
-08	SCALE: NTS			.□.M.:	INCHES	[mm]		SHEET:	1	ΟF	1