



Our commitment. Your advantage.

- [Products](#) | [Documentation](#) | [Resources](#) | [My Account](#) | [Customer Support](#)

[Home](#) > [Products](#) > [By Type](#) > [Resistors](#) > [Product Feature Selector](#) > Product Details

CRG0603F360K Product Details

[Live Product Chat](#)



CRG0603F360K
(1622925-1)

TE Internal Number: 1622925-1

[Active](#)

Fixed Resistors

[Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Resistor Type = General Purpose Resistor
- Resistance Selection = K ?
- Resistance = 360K ?
- Power Rating = .10 W
- Tolerance = 1 %

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

- [Add to My Part List](#) | [Request Sample](#) | [Find Similar Products](#) | [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [THICK FILM CHIP RESISTORS SERIES CRG_0603](#) (PDF, English)

Catalog Pages/Data Sheets:

- [Thick Film Precision Chip Resistors - Type CRG Serie...](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Additional Product Images:

- [Pad Layout](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Resistor Type = General Purpose Resistor
- [Resistance \(?\)](#) = 360K
- [Element](#) = Thick Film
- Termination Type = Solder

Electrical Characteristics:

- [Resistance Selection \(?\)](#) = K
- [Power Rating \(W\)](#) = 0.10
- [Tolerance \(%\)](#) = 1
- [Package Type](#) = Taped and Reeled

Body Related Features:

- [Series](#) = CRG
- [Mount Style](#) = Surface Mount
- [Packaging Style](#) = 0603
- [Package, Component Size](#) = 1.6 x 0.8

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Reflow solder capable to 245°C, Reflow solder capable to 260°C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

- [Temperature Coefficient \(ppm/°C\)](#) = ?100

Operation/Application:

- [Application](#) = Various

Other:

- Brand = Neohm

[Provide Website Feedback](#) | [Need Help?](#)