Our commitment. Your advantage.

My Account Search

Live Product Chat

Check Pricing & Availability Search for Tooling

<u>Product Feature Selector</u> **Contact Us About This Product**

Quick Links

Documentation

Resources

My Account

Customer Support

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Resistors</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

HSA2522KJ Product Details



HSA2522KJ (2-1625971-5)

TE Internal Number: 2-1625971-5



Fixed Resistors

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Resistor Type = Power Resistor
- Resistance Selection = K?
- Resistance = 22K ?
- Power Rating = 25.00 W
- Tolerance = 5 %

View all Features







Documentation & Additional Information

Product Drawings:

HSA25 METAL CLAD RESISTOR (PDF, English)

Catalog Pages/Data Sheets:

• Aluminium Housed Power Resistors - Type HS Series (PDF, English)

Product Specifications:

• None Available

Application Specifications:

None Available

Instruction Sheets:

None Available

CAD Files:

• None Available

Additional Information:

Product Line Information

Related Products:

Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Resistor Type = Power Resistor
- Resistance (?) = 22K
- <u>Element</u> = Wirewound
- Termination Type = Solder Lug

Electrical Characteristics:

- Resistance Selection (?) = K
- <u>Power Rating (W)</u> = 25.00
- <u>Tolerance (%)</u> = 5
- Package Type = Loose Piece Tray

Body Related Features:

- Series = HS
- Mount Style = Chassis Mount
- Package, Component Size = 51.8 x 28

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Hand solderable with lead free solder
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

Temperature Coefficient (ppm/?C) = ?30

Operation/Application:

• Application = High Power

Other:

Brand = CGS

Provide Website Feedback | Need Help?