



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
HB		P	LTR	DESCRIPTION	DATE	DWN	APVD
		D		PN. OBSOLETE ECD-12-004810	24APR12	BL.L	BHY




CIRCUIT DIAGRAM (BOTTOM VIEW)



DRILLING DIAGRAM (BOTTOM VIEW)



STATUS	PART NO	PART B	PART A	ITEM
OBsolete	1721150-1	3V	ORWH-SS-103D1F	A
ACTIVE	1721150-2	5V	ORWH-SS-105D1F	B
ACTIVE	1721150-3	6V	ORWH-SS-106D1F	C
ACTIVE	1721150-4	9V	ORWH-SS-109D1F	D
ACTIVE	1721150-5	12V	ORWH-SS-112D1F	E
OBsolete	1721150-6	18V	ORWH-SS-118D1F	F
ACTIVE	1721150-7	24V	ORWH-SS-124D1F	G
ACTIVE	1721150-8	48V	ORWH-SS-148D1F	H
OBsolete	1721150-9	3V	ORWH-SH-103D1F	I
ACTIVE	1-1721150-0	5V	ORWH-SH-105D1F	J
OBsolete	1-1721150-1	6V	ORWH-SH-106D1F	K
OBsolete	1-1721150-2	9V	ORWH-SH-109D1F	L
ACTIVE	1-1721150-3	12V	ORWH-SH-112D1F	M
OBsolete	1-1721150-4	18V	ORWH-SH-118D1F	N
ACTIVE	1-1721150-5	24V	ORWH-SH-124D1F	O
ACTIVE	1-1721150-6	48V	ORWH-SH-148D1F	P
ACTIVE	1-1721150-7	24V	ORWH-SH-124D1F	R



NOTE  
 ©1.LOT NO. SYSTEM AS FOLLOWING:



	UV RESIN	UV SEAL (FOR SH)	ITEM
	EPOXY RESIN	SEAL	14
CLASS 155 F	MW79	MAGNETIC WIRE	12
UL94 V-0	HCP	COIL TERMINAL	11
UL94 V-0	PBT	BOBBIN	10
	PBT	CASE	9
	Ag ALLOY	STATIONARY CONTACT	8
	Ag ALLOY	MOVABLE CONTACT	7
	Cu ALLOY	MOVABLE SPRING	6
	Cu ALLOY	NC TERMINAL	5
	Cu ALLOY	NO TERMINAL	4
	Cu PLATED STEEL	CORE	3
	Cu PLATED STEEL	ARMATURE FORM C	2
	Ni PLATED STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT MATERIAL	DESCRIPTION	ITEM




Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN: XN.ZHANG
0 PLC ±	1 PLC ±	CHK: WAYNE.PENG
2 PLC ±	3 PLC ±	APVD: MJ.HO
4 PLC ±		PRODUCT SPEC
MATERIAL: SEE MATERIAL TABLE	FINISH	APPLICATION SPEC
		WEIGHT

**STE** TE Connectivity

ORWH-1T Cd FREE CUSTOMER DRAWING

SIZE: A3	GAGE CODE: 00779	DRAWING NO: 1721150	RESTRICT TO
CUSTOMER DRAWING		SCALE: 3:1	SHEET 1 of 1 REV D