



Thermistor Probe Assemblies Straight

« [Return](#)



**Home**

**Company Information**

- [About U. S. Sensor](#)
- [Mission Statement](#)
- [Newsletter](#)
- [Employment Opportunities](#)

**Product Guide**

- [NTC Thermistors](#)
- [NTC Probes & Assemblies](#)
- [RTD's](#)
- [RTD's Probes & Assemblies](#)

**Technical Data**

- [What is a thermistor](#)
- [Terminology](#)
- [Manufacturing Quality](#)


**Markets and Applications**

**Find a Sales Rep/ Distributor**


**Contact Us**

Electrical specifications as well as Dimensions "L1", "L2" and "D" are user selectable. Contact U.S. Sensor's [application engineering department](#) to design a probe assembly to best suit your requirements.

H1801 Aluminum




H2022 Stainless Steel




**U.S. Sensor**

1832 W. Collins Ave  
 Orange, CA 92867  
 Tel: 800-777-6467  
 Tel: 714-639-1000  
 Fax: 714-639-1220  
 Email: [sales@ussensor.com](mailto:sales@ussensor.com)


H2766 Stainless Steel




H3171 Brass




H3699 Stainless Steel




H3700 Stainless Steel





H6239 S/S Probe, Flared End




H7231 S/S, Pointed Tip





H7361 Straight Stainless Steel Probe





H7362 Straight Stainless Steel Probe




H7363 Straight Aluminum Probe





H7364 Straight Stainless Steel Probe




H7365 Straight Aluminum Probe



H7658 Brass Probe with Concave Side



### H7366 Stainless Steel Probe with Delrin Handle



[Sitemap](#)

[Top ^](#)

[« Return](#)