


Item no .: 773-162

Product description: PUSH-WIRE CONNECTOR FOR JUNCTION BOXES 2-

CONDUCTOR TERMINAL BLOCKS





## Produkt kann von Bild abweichen / product may differ

## Packing unit 100 pieces

Product group 7 (Push Wire Conn.)

pole count 2

Cross section [mm²] 1.5 - 2.5 mm<sup>2</sup> Cross section [AWG] 16 - 12 AWG PUSH WIRE® Connection method

Number of strands

Cross section [mm²] 1 - 2.5 mm<sup>2</sup>

Cross section [AWG] 18 - 12 AWG Wiring method е

Number of strands 2 Measured voltage EN 400 V Measured shock voltage 4 kV Pollution degree 2

Current intensity EN 24 A Weight 1.847 g Color yellow

No. of connection Points 2 No. of potentials

Height 13.1 mm Height 0.516 in

Width 9 mm
Width 0.354 in



 Depth
 19.1 mm

 Depth
 0.752 in

 Strip length from
 10 mm

 Strip length to
 13 mm

 Strip length
 0.45 in



 $\label{eq:continuous} Item \ no. \qquad \qquad Admission \ office \qquad Approval \ no. \qquad \qquad Voltage \ [V] \qquad Current \ \ [A] \qquad Cross \ section \ \ [mm^2]$ 

773-162 CSA 154112-1059435 600 20 12-18

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected